



> UT8931

Str Air Auto Shut-Off Screwdriver, 0.3~2.5 Nm, 1700 RPM

- Type Straight
- Motor Power 0.3 HP
- Torque 0.3 - 2.5 Nm
- Free Speed 1700 RPM
- Air Cons. 9 CFM
- Noise 72 dB (a)
- Vibration < 2.5 m/sec²
- Length 193 mm
- Weight 0.52 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



UT8932

Str Air Auto Shut-Off Screwdriver, 0.5~3.0 Nm, 900 RPM

- Type Straight
- Motor Power 0.3 HP
- Torque 0.5 - 3.0 Nm
- Free Speed 900 RPM
- Air Cons. 9 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 193 mm
- Weight 0.52 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**


UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



> UT5825-S

1/4" DIRECT DRIVE SCREWDRIVER

- Type Pistol
- Size 1/4"
- Torque 3.4 Nm
- Free Speed 1800 RPM
- Air Cons 4 CFM
- Sound 91 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 156 mm
- Weight 1.36 kg
- Air Inlet 1/4" BSP



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



> UT8941

Pistol Air Auto Shut-Off Screwdriver, 0.5~4.0 Nm, 700 RPM

- Type Pistol
- Motor Power 0.3 HP
- Torque 0.5 - 4.0 Nm
- Free Speed 700 RPM
- Air Cons. 9 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 192 mm
- Weight 0.76 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

UT8921

1/4" HEX Auto Shut-Off Angle Nut Runner, 0.7~5.0 Nm, 1500 RPM

- Type Angle
- Square Drive 1/4" HEX
- Motor Power 0.5 HP
- Torque 0.7 - 5.0 Nm
- Free Speed 1500 RPM
- Air Cons 19 CFM
- Noise 72 dB (a)
- Vibration < 2.5 m/sec²
- Length 380 mm
- Weight 1.6 kg
- Air hose ID 8 mm



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

> UT8933

Str Air Auto Shut-Off Screwdriver, 0.7~6.5 Nm, 900 RPM

- Type Straight
- Motor Power 0.5 HP
- Torque 0.7 - 6.5 Nm
- Free Speed 900 RPM
- Air Cons. 19 CFM
- Noise 72 dB (a)
- Vibration < 2.5 m/sec²
- Length 227 mm
- Weight 0.84 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

> UT8942

Pistol Air Auto Shut-Off Screwdriver, 0.7~6.5 Nm, 900 RPM

- Type Pistol
- Motor Power 0.5 HP
- Torque 0.7 - 6.5 Nm
- Free Speed 900 RPM
- Air Cons 19 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 227 mm
- Weight 1.11 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

> UT8817-S

Direct Drive Screwdriver

- Type Pistol
- Size 1/4"
- Torque 7 Nm
- Free Speed 1700 RPM
- Air Cons 4 CFM
- Sound 76 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 159 mm
- Weight 0.92 kg
- Air Inlet 1/4" BSP



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

FEATURES

- Excellent for self-tapping
- Thumb operated forward/reverse
- Through handle exhaust
- Best for: Light production using self-tapping fasteners

SPECIFICATIONS

Motor (HP)	0.05
Motor (kW)	0.37
Torque Range (in. lb.)	25-125
Speed (RPM)	1,800
Exhaust	Handle
Chuck (in.)	1/4" Hex Q.C.
Weight (lbs.)	2.5
Weight (kg.)	1.1
Length (in.)	8.5
Length (mm)	190
Air Inlet (NPT)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	16
Avg. Air Cons (cfm)	4.0
Rec. Pressure	90psi-6.2bar




Air Tools for Industry



> UT2964A

Pistol Adjustable Clutch Screwdriver

- **Type Pistol**
- **Size 1/4"**
- **Torque 3-8 Nm**
- **Free Speed 1800 RPM**
- **Air Cons 4 CFM**
- **Sound 87 dB (a)**
- **Vibration <math><2.5 \text{ m/sec}^2</math>**
- **Length 205 mm**
- **Weight 1.1 kg**
- **Air Inlet 1/4" BSP**



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



UT5964A

Pistol External Adj. Clutch Screwdriver

- **Type Pistol**
- **Size 1/4"**
- **Torque 8 Nm**
- **Free Speed 1800 RPM**
- **Air Cons 4 CFM**
- **Sound 84.3 dB (a)**
- **Vibration <math><2.5\text{ m/sec}^2</math>**
- **Length 190 mm**
- **Weight 1.0 kg**
- **Air Inlet 1/4" BSP**



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

> UT8934

Str Air Auto Shut-Off Screwdriver, 1.5~10 Nm, 550 RPM

- Type Straight
- Motor Power 0.5 HP
- Torque 1.5 - 10 Nm
- Free Speed 550 RPM
- Air Cons. 19 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 227 mm
- Weight 0.84 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



UT8922

1/4" HEX Auto Shut-Off Angle Nut Runner, 1.5~10 Nm, 550 RPM

- Type Angle
- Square Drive 1/4" HEX
- Motor Power 0.5 HP
- Torque 1.5 - 10 Nm
- Free Speed 550 RPM
- Air Cons 19 CFM
- Noise 72 dB (a)
- Vibration < 2.5 m/sec²
- Length 380 mm
- Weight 1.6 kg
- Air hose ID 8 mm



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

FEATURES

- Excellent for self-tapping
- Thumb operated forward/reverse
- Through handle exhaust
- Best for: Light production using self-tapping fasteners

SPECIFICATIONS

Motor (HP)	0.05
Motor (kW)	0.37
Torque Range (in. lb.)	45-145
Speed (RPM)	800
Exhaust	Handle
Chuck (in.)	1/4" Hex Q.C.
Weight (lbs.)	2.50
Weight (kg.)	1.1
Length (in.)	8.5
Length (mm)	216
Air Inlet (NPT)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	16
Avg. Air Cons (cfm)	4.0
Rec. Pressure	90psi-6.2bar



Air Tools for Industry



> UT8818-S

Direct Drive Screwdriver

- Type Pistol
- Size 1/4"
- Torque 13 Nm
- Free Speed 750 RPM
- Air Cons 4 CFM
- Sound 76 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 159 mm
- Weight 0.92 kg
- Air Inlet 1/4" BSP



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

UT8923

1/4" HEX Auto Shut-Off Angle Nut Runner, 3.0~18 Nm, 300 RPM

- Type Angle
- Square Drive 1/4" HEX
- Motor 0.5 HP
- Torque 3.0 - 18 Nm
- Free Speed 300 RPM
- Air Cons 19 CFM
- Noise 72 dB (a)
- Vibration < 2.5 m/sec²
- Length 384 mm
- Weight 1.9 kg
- Air hose ID 10 mm



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



> UT8943

Pistol Air Auto Shut-Off Screwdriver, 3.0~18 Nm, 300 RPM

- Type Pistol
- Motor Power 0.5 HP
- Torque 3.0 - 18 Nm
- Free Speed 300 RPM
- Air Cons 19 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 231 mm
- Weight 1.45 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

> UT8924

1/4" HEX Auto Shut-Off Angle Nut Runner, 5.0~28 Nm, 250 RPM

- Type Angle
- Square Drive 1/4" HEX
- Motor Power 0.5 HP
- Torque 5.0 - 28 Nm
- Free Speed 250 RPM
- Air Cons 19 CFM
- Noise 75 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 384 mm
- Weight 1.9 kg
- Air hose ID 10 mm



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM



> UT8944

Pistol Air Auto Shut-Off Screwdriver, 5.0~28 Nm, 250 RPM

- Type Pistol
- Motor Power 0.5 HP
- Torque 5.0 - 28 Nm
- Free Speed 250 RPM
- Air Cons. 19 CFM
- Noise 72 dB (a)
- Vibration <math><2.5 \text{ m/sec}^2</math>
- Length 231 mm
- Weight 1.45 kg



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM

UT8226

1/4" Impact Pistol Screwdriver

- Type Pistol
- Size 1/4"
- Torque 271 Nm
- Free Speed 9500 RPM
- Air Cons 3 CFM
- Sound 88 dB (a)
- Vibration 4.70 m/sec²
- Length 165 mm
- Weight 1.38 kg
- Air Inlet 1/4" BSP



+ 44 (1) 494 883300
sales@ut-tools.com



**UNIVERSAL
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD
UNIT 8, LANE END INDUSTRIAL PARK
HIGH WYCOMBE, HP14 3BY
UNITED KINGDOM